



- O'Connor IL, Bloom DA. William T. Bovis and electrosurgery. *Surgery* 1996;119(4):390-396.
- Saagar PM, Meagher A, Sobczak S, Wolff BG. Chemical composition and potential hazards of electrocautery smoke. *Brit. J. Surg.* 1996;83(12):1792-1799.
- Schultz LS, Drogue J. Unique devices for efficiently removing surgical plume. *Surg. Serv. Manage*, 2000;6(4):8-12.
- Olson B, Schultz JT. A new device for open surgery smoke capture. Submitted for publication Feb. 15, 2013.
- Schultz LS, Hickok DF, Graber 1N, Stephens WE. The use of lasers in general surgery. A preliminary assessment. *Minn. Med.* 1987;70(8):439-442.
- Hunter 1G. Laser smoke evacuator: effective removal of mutagenic cautery smoke. Anesthetic Plast Watson DS. (2009). Surgical smoke: What Do We Know. By Covidien. Available: <http://www.buffalofilter.com/PDF/surgical%20Smoke%/>. Accessed April 6, 2013.
- Buffalo Filters' Plume Pen Smoke Evacuation Electrosurgical Pencil. Available: <http://www.buffalofilter.com/PDF/PlumePen%20E.pdf>. Accessed April 6, 2013. AORN position statement on workplace safety.
- Association of ped-Operative Registration Nurses. Available: <http://www.aorn.org/PracticeResourcesJAORNPositionStatements/Position Workplace safety/>. Accessed December 10, 2010.
- Safety and health topics: laser/electrosurgery plume. Occupational Safety and Health Administration. Available: <http://www.osha-slc.gov/SLIC/laserelectrosurgeryplume/index.html>. Accessed December 10, 2010.
- Ball K. Surgical Smoke Evacuation Guidelines; Compliance Among Perioperative Nurses. AORN 1.2010;92(2):1-23. OSH Act of 1970 Standard 1910.1030 Bloodborne Pathogens, paragraph (d)(3)(i). Revision date: 14 April 1999. Available: <http://www.oshas.gov/p1s/oshaweb/owadisp.shodocument?ptables=s>. Accessed December 10, 2010.
- Understanding respiratory protection against SARS. National Institute for Occupational Safety and Health. <http://www.cdc.gov/nioshApptl/topics/respiratorsifactsheets/respsars.html>. Accessed Dember 10, 2010.
- Daniell JF. The CO2 laser in infertility surgery. *J Reprod Med.* 1983; 28(4): 265-268.

Nascent Surgical, LLC  
6585 Edenvale Blvd. Suite #150  
Eden Prairie, MN 55346-2505  
Phone: 952-345-1112 Fax: 952-345-1114



- Wenig BL, Stenson KM, Wenig BM, Tracey D. Effects of plume produced by the ND: Yag laser ana electrocautery on the respiratory system. *Lasers Surg Med*. 1993; 13(2): 242-245.
- Beckett WS. Occupational respiratory disease. *N Engl J Med*. 2000; 342(6): 406-413.
- Garden JM, O'Banion MK, Shelnitz LS, et. al. Papilloma virus in the vapor of carbon dioxide laser-treated verrucae. *JAMA*. 1988; 259(8): 1199-1202.
- Gatti JE, Bryant CJ, Noone RB, Murphy 1B. The mutagenicity of electrocautery smoke. *Plast Reconstr Surg*. 1992; 89(5): 781-784.
- Surgical smoke evacuation systems. *Health Devices*. 1997; 26(4): 132-172.
- Fernandes C, Talikwa L. Viewpoint: ExtendEVAC point-of-origin smoke evacuation. *Surg Sery Manage*. 2000; 6(2): 18-20.
- Smith JP, Topmiller R., Shulman S. Factors affecting emission collection by surgical smoke evacuators. *Lasers Surg Med*. 1990; 10(3): 224-233.
- Kuehn TH, Olson BA, Ramsey JW, Rocklage J. Characterization of Effects from Additional Cooking Appliances. Final Report. *ASHRAE* 2008; 1375-RP.
- Wake D, Redmayhe AC, Thorpe A, Gould JR, Brown RC, Crook B. Sizing and filtration of microbiological aerosols. *J Aerosol Sci.* 1995 Sep; 26(1): S529-S530.
- Kunzli N, Tager IB, Air pollution: From lung to heart. 2005. *Swiss Med Wkly*. 135: 697-702.
- Gates MA, Feskanich D, Speizer FE, Hankinson SE. Operating room nursing and lung cancer risk in a cohort of female registered nurses. 2007;1 *Work Environ Health*. 33(2): 140-147.
- Gilliland FD, Behane K, Rappaport FB, . The effects of ambient air pollution on school absenteeism due to respiratory illnesses. *Epidemiology* 2001: 12(1): 43-54.
- Brown RC, Lockwood AH, Sonowana BR. Neurodegenerative diseases: an overview of environmental health risk factors. 2005; *Environ Health Perspect*. 2005. 113: 1250-1256

### **Nanoparticle-Related Documentation**

- Mostofi R, Wang B, Haghighat F, Bahloul A, Jamie L. Performance of Mechanical Filters and Respirators for Capturing Nanoparticles — Limitations and Future Direction, *Industr.*

Nascent Surgical, LLC  
6585 Edenvale Blvd. Suite #150  
Eden Prairie, MN 55346-2505  
Phone: 952-345-1112 Fax: 952-345-1114



*Health* 2010; 48:296-304.

Buzea C, Blandino P, Ivan I, Kevin R. Nanomaterials and nanoparticles: Sources and toxicity. *Biointerphases*. 2007;2(4):MR17-MR172.

Iwai K, Mizuno S, Miyasaka Y, Mod T. Correlation between suspended particles in the environmental and causes of disease among inhabitants: cross-sectional studies using the vital statistics and air pollution data in Japan. *Environ. Res.* 2005;99:106-117.

Nemmar A, Hoet PHM, Vanquickenborne B, et. al. Passage of inhaled particles into the blood circulation in humans. *Circulation* 2002;105:411-414.

Bruske-Hohlfeld I, et al. Surgical smoke and ultrafine particles. *J. Occup Med. Toxicol.* 2008; 3(3): 31-36.

Gatti AM, Montanari S, Monari E, Gambarelli A, Capitani F, Pansini B, Detection of micro- and nano-sized biocompatible particles in the blood. 2004. *J Mater Sci Mater Med*. 2004. 15: 469-472.

Donaldson R, Stone V, Tran C, Kreyling W, Bonin PJA. Nanotoxicology. 2004. *Occup Environ Med*. 61: 727-72.